

Index[索引]

A

Adjustable stabilizer[調整式安定板]	6-12
Adverse balance[逆バランス]	10-3
Adverse conditions[悪条件]	13-5
Adverse yaw[逆偏揺れ]	6-3
Advisory circular (AC)[航空局通達]	1-10
Aeromedical factors[航空医学的要因]	17-1
Aeronautical charts [航空チャート]	14-3, 16-2
Aeronautical decision-making [航空に関する意思決定]	2-1
History of ADM[ADMの歴史]	2-2
Aeronautical Information Manual (AIM)[航空情報マニュアル] ...	1-9
After-landing[着陸後]	14-34
Ailerons[補助翼]	6-3
Coupled ailerons[補助翼の連結]	6-4
Differential ailerons[差動補助翼]	6-4
Frise-type ailerons[フリーズ型補助翼]	6-4
Airborne radar[機上レーダー]	13-4
Aircraft documents[航空機の文書]	9-6
Aircraft engine[航空エンジン]	7-1
Aircraft inspections[航空機の検査]	9-8
100-hour Inspection[100時間の検査]	9-8
Altimeter system inspection[高度計システム検査]	9-9
Annual inspection[年次検査]	9-8
Preflight inspections[飛行前検査]	9-9
Transponder inspection[トランスポンダー検査]	9-9
Aircraft maintenance[航空機整備]	9-8
Aircraft owner/operator responsibilities [航空機所有者/運航者の責任]	9-13
Aircraft Owners and Pilots Association (AOPA)[自家用航空機およびパイロット協会]	3-13
Aircraft types and categories[航空機の型式とカテゴリー]	1-15
Air data computer (ADC)[エア・データ・コンピュータ]	8-14
Airfoil[翼型]	4-6, 4-7
Leading edge[前縁]	4-6
Trailing edge[後縁]	4-6
Airframe systems[機体システム]	7-25
Airline Deregulation Act of 1978[1978年の航空規制緩和法] 1-7	
Air masses[気団]	12-17
Air navigation[航空航法]	16-1
Airplane[飛行機]	1-15
Airplane flight manuals (AFM) [飛行規定]	9-1, 16-17
Airport beacon[飛行場燈台]	14-16
Airport lighting[空港照明設備]	14-18
Airport markings[空港標識]	14-5
Other markings[その他の標識]	14-15
Runway markings[滑走路標識]	14-5
Taxiway markings[誘導路標識]	14-11
Airports[空港]	14-2
Civil airports[民間空港]	14-2
Military/federal government airports[軍事/連邦政府の空港]	14-2
Private airports[個人所有空港]	14-2
Towered[管制]	14-2
Nontowered[無管制]	14-2
Airport signs[飛行場標識]	14-15
Destination signs[行先標識]	14-12, 14-16
Direction signs[方向標識]	14-16
Information signs[情報標識]	14-16
Location signs[位置標識]	14-15
Mandatory instruction signs[指示指令表示板] ...	14-15
Runway distance remaining signs[滑走路の残りの距離の標識]	14-16
Airport surveillance radar[空港監視レーダー]	13-4
Air Route surveillance radar (ARSR)[航空路監視レーダー]	13-2
Air Route traffic control center (ARTCC)[航空交通管制部]	13-2
Airship[飛行船]	1-15
Airspace[エアスペース]	15-1
Airspeed[対気速度]	9-2, 16-10
Airspeed indicator (ASI)[対気速度計]	11-2
Airspeed indicator markings[対気速度計表示]	8-9
Airspeed limitations[対気速度制限]	8-9
Airspeed tape[対気速度テープ]	8-12
Air traffic control (ATC) [航空交通管制]	14-24, 15-7
Airworthiness certificate[耐空証明]	9-7
Airworthiness directives (ADs)[耐空性改善通報] ...	9-12
Alcohol[アルコール]	17-15
Alert areas[警戒区域]	15-4
Alternator[交流発電機]	7-30
Altimeter [高度計]	8-3, 8-13
Setting the altimeter[高度計の設定]	8-5
Altimeter operation[高度計操作]	8-6
Altitude [高度]	8-6, 12-6
Absolute altitude[絶対高度]	8-7
Density altitude[密度高度]	8-7
Indicated altitude[指示高度]	8-6
Pressure altitude[気圧高度]	8-7
True altitude[真高度]	8-6
Altitude-induced decompression sickness (DCS)[高度による減圧症]	17-18

Ammeter [電流計]	7-31	Station identifier [報告場所の識別]	13-6
Aneroid barometer [アネロイド気圧計]	12-5	Temperature and dew point [気温と露点]	13-7
Aneroid wafer [アネロイド・ウェハー]	8-3	Type of report [報告の種類]	13-6
Angle of attack (AOA) [迎え角]	6-4	Visibility [視程]	13-6
Anti-ice [防氷]	7-40	Weather [気象]	13-6
Antiservo tab [アンチサーボタブ]	3-6, 6-11	Wind [風]	13-6
Approach light systems [進入灯]	14-16	Zulu time [国際標準時]	13-7
Arm [アーム]	10-4	Pilot weather reports (PIREPs) [機上気象報告]	13-8
Assembling necessary material [必要材料の組立]	16-17	Axes of an aircraft [航空機の軸]	5-12
ATC Automation [ATC 自動化]	1-6	Axes of rotation [回転軸]	6-3
ATC delays [ATC 遅延]	13-5		
ATC radar beacon system (ATCRBS) [航空交通管制レーダー・ビーコンシステム]	14-24	B	
ATC radar weather displays [ATC レダー気象表示]	13-16	Balance [バランス]	10-2
Atmosphere [大気]	4-1, 11-2, 12-2	Balance tabs [バランス・タブ]	6-11
Atmospheric circulation [大気循環]	12-3	Balloon [気球]	1-15
Atmospheric pressure [大気圧]	4-3, 11-2	Barbs [矢枝]	12-12
Atmospheric stability [大気の安定度]	12-12	Basic aerodynamics [基本的な航空力学]	3-2
Attitude indicator [姿勢指示器]	8-13, 8-18	Drag [抗力]	3-2
Autokinesis [随意運動]	17-26	Lift [揚力]	3-2
Automatic decision-making [自動意思決定]	2-21	Thrust [推力]	3-2
Operational pitfalls [操縦の落とし穴]	2-21	Weight [重力]	3-2
Automatic direction finder (ADF) [自動方向探知機]	16-29	Basic empty weight [基本自重]	10-4
Automation [自動操作]	2-25	Bernoulli, Daniel [ダニエル・ベルヌーイ]	4-6
Automation management [自動操作管理]	2-31	Bernoulli's Principle of Differential Pressure [ベルヌーイの差圧の定理]	4-6
Autopilot [自動操縦]	6-12	Best angle-of-climb speed (V_X) [最良仰角速度]	8-10
Autopilot systems [自動操縦装置]	2-27	Best rate-of-climb speed (V_Y) [最良上昇率速度]	8-10
Aviation forecasts [航空予報]	13-9	Binocular cues [両眼手がかり]	17-26
Area forecasts (FA) [広範囲の天気予報]	13-9, 13-10	Blade angle [羽根角]	5-28
Terminal aerodrome forecasts (TAF) [指定された空港の天気予報]	13-9	Bleed air heating systems [抽気加熱システム]	7-30
Forecast change group [予測変更グループ]	13-9	Blocked pitot system [塞がれたピトーシステム]	8-10
Forecast significant weather [悪天候予報]	13-9	Blocked static system [塞がれた静的システム]	8-11
Forecast sky condition [空の状態予報]	13-9	Boundary layer [境界層]	5-6, 5-46
Forecast visibility [視界予報]	13-9	Brake horsepower (BHP) [軸馬力]	7-6, 7-24
Forecast wind [風予報]	13-9	Brakes [ブレーキ]	7-34
ICAO station identifier [報告している所の ICAO 識別]	13-9	Bus bar [バスバー]	7-31
Probability forecast [確率予測]	13-9		
Type of report [報告の種類]	13-9	C	
Aviation medical examiner (AME) [指定航空身体検査医]	17-2	Cabin pressure control system [客室与圧調整系統]	7-35
Aviation routine weather report (METAR) [定時航空気象実況]	12-17	Cabin pressurization system [キャビン加圧システム]	7-35
Aviation safety inspector (ASI) [航空安全検査官]	1-9	Calibrated airspeed (CAS) [較正対気速度]	8-9, 11-18
Aviation weather reports [航空気象レポート]	13-5	Canard [先尾翼]	6-7
Aviation routine weather report (METAR) [定時航空気象実況]	13-5	Carbon monoxide (CO) poisoning [一酸化炭素中毒]	17-12
Altimeter setting [高度計規正]	13-7	Carburetor air temperature gauge [気化器気温計]	7-11
Modifier [報告の特性]	13-6	Carburetor heat [気化器暖房装置]	7-10
Remarks [備考欄]	13-7	Carburetor icing [気化器の凍結]	7-9
Sky condition [上空の雲量やその雲の高さ]	13-7	Carburetor systems [気化器システム]	7-8
		Float-type carburetor [フロート式気化器]	7-8
		Pressure-type carburetor [圧力気化器]	7-9

Ceiling [シーリング]	12-17	information (WST) [対流性重要気象情報]	13-12
Center of gravity (CG) [重心]	10-2, 10-4	Converting KTS to MPH [KTS から MPH への変換]	16-11
CG limits [重心限界]	10-5	Converting minutes to equivalent hours [分から相当時間への変換]	16-11
CG range [重心範囲]	10-5	Cooling [冷却]	7-1
Central blind spot [中央死角]	17-21	Coriolis force [コリオリの力]	12-3
Certificated flight instructor (CFI) [認定パイロットインストラクター]	1-19, 1-23	Corkscrew effect [コルク抜き効果]	5-31
Certificate of aircraft registration [航空機登録証明書]	9-6	Course [コース]	16-10
Chandelles [急上昇方向変換]	5-36	Course deviation indicator (CDI) [コース偏差指示器]	16-23
Chart Supplement U.S. [米国航空地図補足]	16-17	Course intercept [コース合流]	16-27
Clearing procedures [許可手順]	14-28	Angle of intercept [合流角度]	16-27
Before takeoff [離陸前]	14-28	Rate of intercept [合流率]	16-27
Climbs and descents [上昇と下降]	14-28	Cross-country flying [クロスカントリー飛行]	16-1
Straight and Level [直線水平飛行]	14-28	Crosswind and headwind component chart [横風と逆風の成分チャート]	11-25
Traffic at VOR sites [VOR 範囲での往環]	14-28	Current conditions [現状]	13-5
Traffic patterns [場周経路]	14-28		
Training operations [訓練業務]	14-28		
Climb performance [上昇性能]	11-6	D	
Angle of climb (AOC) [上昇角度]	11-7	Dark adaptation [暗順応]	17-23
Climb Performance Factors [上昇性能要因]	11-8	Datum [基準線]	10-5
Rate of climb (ROC) [上昇率]	11-7	Data link weather [データリンク気象]	13-21
Clouds [雲]	12-15	Data link weather products [データリンク気象製品]	13-23
Cloud classification [雲の分類]	12-17	Flight information service-broadcast (FIS-B) [放送型飛行情報サービス]	13-23
Alto [高積雲]	12-17	Daylight saving time [夏時間]	16-5
Castellanus [塔状雲]	12-17	Dead reckoning [推測航法]	16-13
Cirrus [巻雲]	12-17	DECIDE model [DECIDE モデル]	2-18
Cumulus [積雲]	12-17	Choose (a course of action) [選択 (一連の行動)]	2-20
Fracto [断片雲]	12-17	Detect (the problem) [検出 (問題)]	2-20
Lenticularis [レンズ雲]	12-17	Do (the necessary actions) [実行 (必要な行動)]	2-20
Nimbus [乱層雲]	12-17	Estimate (the need to react) [予測 (反応する必要性)]	2-20
Stratus [層雲]	12-17	Evaluate (the effect of the action) [評価 (行動の効果)]	2-20
Code of Federal Regulations (CFR) [連邦規則集]	1-7	Identify (solutions) [確認 (解決策)]	2-20
Collision avoidance [衝突防止方法]	14-28	Decision-making in a dynamic environment [動的な環境での意思決定]	2-21
Combustion [燃焼]	7-18	Use of resources [資源利用]	2-21
Combustion heater systems [燃焼式ヒータシステム]	7-29	External resources [外部資源]	2-23
Compass heading [磁気方位]	16-16	Internal resources [内部資源]	2-23
Composite materials in aircraft [航空機の複合材料]	3-9	Decision-making process [意思決定プロセス]	2-12
Composites [複合材]	3-9	Dehydration [脱水]	17-14
Compressor stalls [圧縮機失速]	7-23	Deice system [除氷装置]	7-40
Control [制御]	10-3	Delta [デルタ]	10-5
Control instruments [制御装置]	3-13	Density altitude [密度高度]	4-4
Controllability [操縦性]	5-15, 5-42	Density altitude charts [密度高度チャート]	11-20
Controlled airport [管理空港]	14-2	Density altitude (DA) [密度高度]	12-5
Controlled airspace [管制空域]	15-2	Department of transportation (DOT) [運輸省]	1-6
Class A airspace [クラス-A 空域]	15-2	Deposition [堆積]	12-15
Class B airspace [クラス-B 空域]	15-2	Designated pilot examiner [認定パイロット試験官]	1-24
Class C airspace [クラス-C 空域]	15-2	Design maneuvering speed (V _A) [設計運動速度]	8-10
Class D airspace [クラス-D 空域]	15-2		
Class E airspace [クラス-E 空域]	15-2		
Controlled firing areas (CFAs) [射撃制限空域]	15-4		
Convective currents [対流性の空気の動き]	12-7		
Convective significant meteorological			

Destination forecast [目的地予報]	13-5	Fuel [燃料]	17-14
Determining loaded weight and CG [積載重量と CG の決定]	10-7	Hydraulic fluid [油圧用作用油]	17-13
Deviation [偏位]	16-8, 16-16	F	
Dew point [露点]	12-13, 13-13	Fairings [フェアリング]	5-6
Distance measuring equipment (DME) [距離情報提供装置]	16-27	False horizon [偽水平]	17-26
Doppler radar [ドップラー・レーダー]	13-3	Fascination (fixation) [とらえること(固定)]	17-27
Drag [抗力]	5-1, 5-6	Fatigue [疲労]	17-13
Form drag [形状抗力]	5-6	FDC NOTAMs [FDC ノータム]	1-13
Induced drag [誘導抗力]	5-6, 5-7	Featureless terrain illusion [特徴のない地形錯視]	17-10
Interference drag [造波抗力]	5-6	Federal Aviation Administration (FAA) [米国連邦航空局]	1-3
Parasite drag [有害抗力]	5-6	Federal certification of pilots and mechanics [パイロットと整備士の連邦認証]	1-4
Skin friction drag [表面摩擦抗力]	5-6	Federal Communications Commission (FCC) [連邦通信委員会]	9-13, 14-22
Drift angle [偏流角]	16-10	Field offices [現地事務所]	1-8
Drugs [薬]	17-16	Filing a VFR flight plan [VFR 飛行計画書の提出]	16-21
Dutch roll [ダッチロール]	5-20	Flameout [フレイムアウト]	7-24
Dynamic hydroplaning [動的ハイドロプレーン現象]	11-13	Flaperons [フラッペロン]	6-5
E		Flaps [フラップ]	6-8
Eddy current damping [渦電流制動]	8-27	Fowler flaps [ファウラー・フラップ]	6-9
Electrical [電氣的]	7-1	Plain flap [単純フラップ]	6-8
Electrical system [電気系統]	7-30	Split flap [スプリット・フラップ]	6-8
Electronic flight display (EFD) [電子フライトディスプレイ]	3-12, 8-12, 13-18	Flicker vertigo [空間識失調]	17-27
Elevator [昇降舵]	3-6, 6-5	Flight [飛行]	1-2
Emergency locator transmitter (ELT) [航空機用救命無線機]	9-9	Flight computers [飛行コンピューター]	16-12
Empennage [尾部]	3-3, 3-6	Flight controls [操縦装置]	6-2
Empty-field myopia [空間仮性近視]	17-22	Flight control systems [操縦系統]	6-1
Engine [エンジン]	7-1	Flight diversion [ダイバート]	16-34
Engine cooling systems [エンジン冷却システム]	7-17	Flight limits [飛行制限]	9-4
Engineered materials arresting systems (EMAS) [航空機拘束システム]	14-35	Flight maneuvers [飛行運動]	5-36
Engine pressure ratio (EPR) [エンジン圧縮比]	7-22	Flight planning [飛行計画]	16-17
Engine temperature limitations [エンジン温度限界]	7-23	Flight school [航空学校]	1-18
Enhanced flight vision system [エンハンスド・ビジョン・システム]	17-28	Flight service station [飛行情報局]	13-4
Enhanced night vision systems [夜間視力システム]	17-27	Flight Standards District Office (FSDO) [FAA の地域事務所]	1-9
Enhanced situational awareness [状況認識強化]	2-30	Flight Standards Service (AFS) [飛行基準課]	1-8
Enhanced taxiway centerline markings [誘導路中心標識]	14-12	Floor load limit [床荷重制限]	10-5
En route forecast [航空路予報]	13-5	Flux gate compass system [フラックスゲートコンパスシステム]	8-20
Environmental control systems [環境制御系統]	7-1	Fog [霧]	12-15, 17-10
Equipment use [装置利用]	2-27	Advection fog [移流霧]	12-15
Equivalent airspeed (EAS) [等価対気速度]	11-18	Ice fog [氷霧]	12-15
Equivalent shaft horsepower (ESHP) [相当軸馬力]	7-24	Radiation fog [放射霧]	12-15
Estimated time en route (ETE) [推定所要時間]	16-17	Sea smoke [海煙]	12-15
Exhaust gas temperature (EGT) [排気ガス温度]	7-22	Steam fog [蒸気霧]	12-15
Exhaust gas temperature (EGT) gauge [排気温度計]	7-9	Upslope fog [滑昇霧]	12-15
Exhaust heating systems [排気加熱システム]	7-29	Forces in climbs [上昇の力]	5-23
Exhaust systems [排気装置]	7-18	Forces in descents [下降の力]	5-24
Explosive decompression [爆発的減圧]	7-36	Forces in turns [回転の力]	5-22
Exposure to chemicals [化学物質への暴露]	17-13	Foreign object damage (FOD) [異物損傷]	7-23
Engine oil [エンジン・オイル]	17-14	Free directional oscillations [自由な方向振動]	5-20

Free-stream velocity [自由流速度]	5-6
Friction [摩擦]	4-2
Fronts [前線]	12-18
Cold front [寒冷前線]	12-20
<i>Fast-moving cold front</i> [高速移動寒冷前線] ...	12-20
Occluded front [閉塞前線]	12-21
Warm front [温暖前線]	12-18
Fuel [燃料]	7-1
Fuel consumption [燃料消費量]	16-11
Fuel contamination [燃料汚染]	7-27
Fuel fired heaters [燃料燃焼加熱器]	7-29
Fuel gauges [燃料計]	7-26
Fuel grades [燃料のグレード]	7-27
Aviation gasoline (AVGAS) [航空機用ガソリン] ...	7-27
Supplemental type certificate (STC) [予備品証明] ..	7-27
Fuel injection system [燃料噴射装置]	7-11
Fuel load [燃料荷重]	10-5
Fuel primer [燃料プライマー]	7-25
Fuel rate [燃料比]	16-17
Fuel selectors [燃料セレクター]	7-26
Fuel systems [燃料系統]	7-25
Fuel-pump system [燃料ポンプシステム]	7-25
Gravity-feed system [重力供給システム]	7-25
Fuel tanks [燃料タンク]	7-25
Full authority digital engine control (FADEC) [全自動デジタルエンジンコントロール]	7-20
Fuselage [胴体]	3-3
G	
General Aviation Manufacturers Association (GAMA) [全国航空機製造業者協会] ..	9-2
Generator [直流発電機]	7-30
Glider [滑空機]	1-15
Global positioning system (GPS) [全地球測位システム] ...	3-13, 16-30
RAIM capability [RAIM 機能]	16-32
Selective availability [選択利用性]	16-31
VFR use of GPS [GPS の VFR 使用]	16-32
Graphical METARs [図画での METAR]	13-21
Ground adjustable tabs [接地調整可能なタブ]	6-11
Ground lighting illusions [地上照明の錯視]	17-10
Ground power unit (GPU) [地上電源車]	7-30
Groundspeed (GS) [対地速度]	8-9, 16-10, 16-17
Gyroscopic action [ジャイロ作用]	5-31, 5-32, 8-15
Precession [歳差運動]	8-15
Rigidity in space [空間の剛性]	8-15
Gyroscopic attitude indicators [ジャイロ式姿勢指示器] ..	6-12
Gyroscopic flight instruments [ジャイロ飛行計器]	8-15
Gyroscopic principles [ジャイロスコープの原理]	8-15
H	
Hazard [危険]	2-4
Hazardous attitudes [危険な態度]	2-5
Hazardous in-flight weather advisory (HIWAS) [危険機内気象諮問サービス]	13-4
Heading [機首方位]	16-10
Heading indicator [飛行方位計]	8-13, 8-19
Heatstroke [熱中症]	17-14
High speed flight [高速飛行]	5-44
Hypersonic [極超音速]	5-45
Subsonic flow [亜音速流]	5-44, 5-45
Supersonic flow [超音速流]	5-44
Transonic [遷音速]	5-45
High speed flight controls [高速飛行制御]	5-49
High speed stalls [高速失速]	5-36
Horizontal situation indicator [水平状況指示計]	16-24
Human behavior [人間の行動]	2-11
Humidity [湿度]	4-5, 12-13
Relative humidity [相対湿度]	12-13
Hydraulic systems [油圧系統]	7-31
Hydromechanical [油圧機械式]	6-2
Hyperventilation [過呼吸]	17-4
Hypoxia [低酸素症]	17-3
Histotoxic hypoxia [組織中毒性低酸素症]	17-4
Hypemic hypoxia [低血性低酸素症]	17-3
Hypoxic hypoxia [低酸素性低酸素症]	17-3
Stagnant hypoxia [停滞性低酸素症]	17-3
I	
Ice [氷]	5-26
Icing [着氷]	12-24
Ignition [点火]	7-1
Ignition system [点火装置]	7-15
Illusions [錯覚]	17-6
Impact pressure chamber and lines [衝撃圧円筒と線] ..	8-2
Inches of mercury [水銀柱インチ]	12-4
Inclinometer [ボール傾斜計]	8-18
Indicated airspeed (IAS) [指示対気速度]	8-8, 11-18
Induction [吸気]	7-1
Induction system [吸気系統]	7-7
In-flight weather advisories [飛行中気象注意報] ...	13-11
AIRMET [エアメット]	13-11
SIGMET [シグメット]	13-12
In-runway lighting [滑走路照明]	14-18
Instrument landing system (ILS) [計器着陸装置]	3-13
Intelligent flight control systems (IFCS) [インテリジェント操縦装置]	6-2
International Civil Aviation Organization (ICAO) [国際民間航空機関]	4-3, 14-22
International Standard Atmosphere (ISA) [標準大気] ..	4-3, 11-2, 12-5
Inversion [逆転]	12-13
Isobars [等圧線]	12-12
J	
Jet-fueled piston engine [ジェット燃料ピストンエンジン]	7-4

K			
Knowledge examination [筆記試験]	1-21	Magnetic heading [機首方位]	16-16
L		Magnus effect [マグナス効果]	4-6
Lags [時間差]	8-27	Maintenance entries [整備記入]	9-10
Land and hold short lights [着陸後一時灯火]	14-18	Managing aircraft automation [航空機の自動化の管理]	2-29
Landing [着陸]	14-34	Maneuverability [運動性]	5-15
Landing charts [着陸図]	11-26	Manifold absolute pressure (MAP) [多岐管における絶対圧力]	7-6
Landing gear [着陸装置]	3-3, 3-7, 7-1, 7-33	Maximum landing weight [最大着陸重量]	10-5
Landing gear extended speed (V_{LE}) [着陸装置拡張速度]	8-10	Maximum ramp weight [最大ランプ重量]	10-5
Landing gear operating speed (V_{LO}) [着陸装置操作速度]	8-10	Maximum takeoff weight [最大離陸重量]	10-5
Landing performance [着陸性能]	11-16	Maximum weight [最大重量]	10-5
Landing strip indicators [着陸帯指示器]	14-20	Maximum zero fuel weight [最大無燃料重量]	10-5
Latitude [緯度]	16-3	Mean aerodynamic chord (MAC) [空力平均翼弦]	5-13, 10-5
Lazy eights [レージーエイト]	5-36	Measurement of direction [方向の測定]	16-5
Leading edge device [前縁の機器]	6-9	Medical certificate [航空身体検査証明書]	17-2
Leading edge cuffs [前縁のカフス]	6-10	Medical certification requirements [航空身体検査証明要件]	1-20
Leading edge flaps [前縁フラップ]	6-10	Meridians [子午線]	16-3
Leads [見越し]	8-27	Mesopic vision [薄明視]	17-21
Licensed empty weight [認可された自重]	10-5	Mesosphere [中間圏]	12-3
Lift [揚力]	5-1	Meteorologists [気象学者]	13-1
Lift/drag ratio [揚抗比]	5-5	Microjets [マイクロジェット]	7-20
Lighter-than-air aircraft [軽航空機]	1-15	Middle ear [中耳]	17-5
Lightning [稲妻]	12-25	Military operation areas (MOAs) [軍事作戦区域]	15-4
Lightning strike protection [落雷保護]	3-11	Military training routes (MTRs) [軍事訓練ルート]	15-6
Likelihood of an event [事象発生の可能性]	2-6	Minimum control speed (VMC) [最小制御速度]	8-10
Improbable [まず起こらないだろう]	2-6	Minimum equipment lists (MEL) [最小装備リスト]	9-9
Occasional [たまに発生]	2-6	Mixture control [混合比制御]	7-9
Probable [頻繁に発生]	2-6	Moisture [湿度]	12-13
Remote [起こらないだろうが、可能性は有る]	2-6	Moment [モーメント]	10-5
Load distribution [荷重分布]	5-43	Moment arm [モーメントアーム]	10-4, 5-13
Loadmeter [荷重計]	7-31	Moment index [モーメント指数]	10-5
Local airport advisory [地域空港情報]	15-6	Monocoque [モノコック]	3-3, 3-8
Longitude [経度]	16-3	Motion sickness [乗り物酔い]	17-12
Lost procedures [ロストポジション]	16-34	Multi-function display (MFD) [多機能ディスプレイ]	3-12, 13-18
Lubrication [潤滑]	7-1	N	
M		N_1 indicator [N_1 指示計器]	7-23
Mach buffet [マッハ・バフエット]	5-49	N_2 indicator [N_2 指示計器]	7-23
Mach number [マッハ数]	5-45	National Aeronautics and Space Administration (NASA) [米国航空宇宙局]	6-2, 3-13
Magnetic compass [磁気コンパス]	8-23	National airspace system [国内空域システム]	15-7
Induced errors [誘導誤差]	8-24	National Oceanic and Atmospheric Administration (NOAA) [米国海洋大気庁]	4-5
Acceleration error [加速度誤差]	8-26	National security areas (NSAs) [国家安全保障地域]	15-7
Deviation [自差]	8-24	National weather service (NWS) [国立気象局]	13-1
Dip errors [急降下誤差]	8-25	Navigation instruments [航法計器]	3-13
Northerly turning errors [北回り旋回誤差]	8-26	Negative arm [負のアーム]	10-10
Oscillation error [振動誤差]	8-27	Negative dynamic stability [負の動的安定性]	5-15
Southerly turning errors [南回り旋回誤差]	8-26	Negative static stability [負の静的安定性]	5-14
Variation [偏差]	8-24	Net thrust [正味推力]	7-24
Magnetic compasses [磁気コンパス]	6-12	Neutral dynamic stability [中立的な動安定性]	5-15

Neutral static stability [中立的な静的安定性]	5-14
Newton's Basic Laws of Motion [ニュートンの運動の基本法則]	4-5
Newton's First Law [ニュートンの第一法則]	4-5
Newton's First Law of Motion [ニュートンの運動の最初の法則]	5-22
Newton's Second Law [ニュートンの第二法則]	4-5
Newton's Third Law [ニュートンの第三法則]	4-6
Newton's Third Law of Physics [ニュートンの物理学の第三法則]	5-31
Next generation weather radar system (NEXRAD) [次世代気象レーダー]	13-18
Abnormalities [異常]	13-21
Limitations [制限事項]	13-21
Night blind spot [夜盲点]	17-22
Night landing illusions [夜間着陸錯視]	17-27
Night vision [暗視]	17-22
Night vision illusions [暗視錯視]	17-26
Night vision protection [暗視保護]	17-23
Nondirectional beacon (NDB) [無指向性無線標識]	3-13
Notices to Airmen (NOTAM) [ノータム]	13-5
FDC NOTAMs [FDC ノータム]	1-12
NOTAM composition [ノータムの構成]	1-13
NOTAM (D) information [航空情報]	1-12
O	
Obstruction lights [航空障害灯]	14-19
Dual lighting [二重照明]	14-19
High intensity white obstruction lights [高輝度白色閉塞ライト]	14-19
Red obstruction lights [赤の障害物灯]	14-19
Obstructions on wind [風の障害]	12-8
Oil Systems [滑油系統]	7-16
Operational incidents (OI) [業務事故]	14-31
Optical illusions [錯視]	17-10
Original equipment manufacturer (OEM) [委託者ブランド名製造]	7-4
Outside air temperature (OAT) gauge [外気温計器]	7-11, 8-28
Oxygen masks [酸素マスク]	7-38
Oxygen systems [酸素システム]	7-37
Continuous-flow oxygen system [連続流酸素システム]	7-38
Diluter-demand oxygen system [希釈要求酸素システム]	7-38
Electrical pulse-demand oxygen system [電気パルス要求酸素システム]	7-38
Pressure-demand oxygen systems [圧力要求酸素システム]	7-38
P	
Parachute jump aircraft operations [パラシュート降下航空機操作]	15-6
Parachute jumps [パラシュート降下]	15-11
Parallels [平行]	16-3
PAVE checklist [PAVE チェックリスト]	2-8
Payload [有効荷重]	10-5
Pennants [旗矢羽]	12-12
Perceive, Process, Perform (3P) [知覚、処理、実行]	2-15
Forming good safety habits [安全な習慣を身に付ける]	2-18
Performance [性能]	11-5
Performance charts [動作線図]	11-19
Performance data [性能データ]	11-1
Performance instruments [性能機器]	3-12
P factor [P 効果]	5-30, 5-32
Photopic vision [明所視]	17-20
Pilotage [地文航法]	16-12
Pilot certifications [パイロットの認可]	1-16
Airline transport pilot [定期運送用操縦士]	1-18
Commercial pilot [事業用操縦士]	1-18
Private pilot [自家用操縦士]	1-17
Recreational pilot [レクリエーション・パイロット]	1-17
Sport pilot [スポーツパイロット]	1-16
Pilot deviations [パイロット逸脱]	14-31
Pilot's operating handbook (POH) [パイロットの操作ハンドブック]	9-1, 16-17
Pitch [ピッチ]	5-13
Pitching [縦揺れ]	5-15
Pitot-static flight instruments [ピトー静圧飛行計器]	8-1
Placards [プラカード]	9-4
Plotter [航法定規]	16-12
Positive dynamic stability [正の動的安定性]	5-15
Positive static stability [正の静的安定性]	5-14
Postural considerations [姿勢に関する考慮事項]	17-8
Powered-lift [電動リフト]	1-15
Powered parachute [動力付きパラシュート]	1-15
Powerplant [動力装置]	3-3, 3-7, 7-1, 9-3
Practical test [実地試験]	1-22
Precipitation [降水]	12-17
Precision approach path indicator (PAPI) [進入角指示灯]	14-16
Pre-landing [着陸前]	14-34
Pressure [圧力]	4-3
Pressure altimeter [気圧高度計]	8-3
Pressure altitude [気圧高度]	4-4, 11-3
Pressurized aircraft [加圧航空機]	7-34
Preventive maintenance [予防整備]	9-10
Primary flight controls [主操縦装置]	6-2
Primary flight display [プライマリ・フライト・ディスプレイ]	3-12
Primary locations of the FAA Field offices	

Flight Standards District Office (FSDO) [飛行基準現 地事務所].....	1-9	Rough air [悪気流]	5-37
Flight Standards Service (AFS) [飛行基準課]....	1-8	Rudder [方向舵].....	3-6, 6-4
Primary radar [一次レーダー].....	14-24	Ruddervators [舵取り]	6-8
Procedures, vortex avoidance [渦回避手順]	14-28	Runway and terrain slopes illusion [滑走路と地形の傾斜錯視]	17-10
Professional Air Traffic Controllers Organization (PATCO) strike [航空管制官組合ストライキ]	1-6	Runway approach area holding position signs and markings [滑走路 進入エリア停止位置標識]	14-14
Prohibited areas [禁止区域].....	15-3	Runway centerline lighting system (RCLS) [滑走路中心線灯システム]	14-18
Propeller [プロペラ].....	3-7, 7-1, 7-4	Runway confusion [滑走路の混乱]	14-31
Adjustable-pitch propeller [可変ピッチプロペラ]..	7-6	Runway end identifier lights (REIL) [滑走路端部識別灯] ..	14-17
Fixed-pitch propeller [固定ピッチプロペラ].....	7-5	Runway holding position marking [停止位置標識] ..	14-8
Propeller anti-ice [プロペラ防氷]	7-41	Runway holding position sign [滑走路保持位置標識] ..	14-6
Propeller blade [プロペラ一枚分].....	5-28	Runway incursion avoidance [滑走路進入回避].....	14-30
Propeller principles [プロペラの原理]	5-28	Runway lighting [飛行場灯火]	14-17
Published VFR routes [公開された VFR ルート].....	15-6	Runway surface and gradient [滑走路の表面と勾配] ..	11-12
Pulse oximeters [パルスオキシメーター]	7-39	Runway width illusion [滑走路幅錯視]	17-10
R		S	
Radar observations [レーダー観測]	13-3	Safety program airmen notification system (SPANS) [安全プログラム航空員通知システム] ..	1-14
Radar traffic advisories [レーダー交通情報]	14-26	Satellite [衛星].....	13-4
Radio communications [無線通信]	14-22	Scanning techniques [走査技術]	17-23
Radio equipment [無線機器]	14-22	Scotopic vision [暗所視]	17-21
Radio magnetic indicator (RMI) [ラジオ磁気指示計] ..	16-24	Sectional charts [区分図]	16-2
Radio navigation [無線航法]	16-22	Segmented circle visual indicator system [セグメント化された円形 視覚指示器システム]	14-20
Radius of turn [旋回半径]	5-39	Self-Imposed stress [自発的なストレス]	17-25
Range performance [領域性能]	11-9	Semimonocoque [半張殻構造].....	3-3, 3-8
Rapid decompression [急速減圧]	7-36	Servicing of oxygen systems [酸素系統の整備]	7-39
Reciprocating engines [レシプロ・エンジン]	7-2	Severity of an event [事象の重大度]	2-6
Four-stroke engines [4 ストロークエンジン]	7-3	Catastrophic [壊滅的]	2-6
Horizontally-opposed engine [水平対向エンジン] ..	7-2	Critical [危機的].....	2-6
In-line engines [直列型エンジン]	7-2	Marginal [限界]	2-6
Radial engines [放射状エンジン].....	7-2	Negligible [無視できる]	2-6
Two-stroke engine [2 ストロークエンジン]	7-3	Shock waves [衝撃波]	5-46
Reference datum [基準データ]	10-5	Significant Meteorological Information (SIGMET) [悪天候情報]	13-12
Refueling procedures [給油手順]	7-29	Single-engine best rate-of-climb (V_{YSE}) [単発機の最良上昇率]	8-10
Region of reversed command [反転コマンドの領域]..	11-11	Single-pilot resource management [シングル・パイロット・リソ ース・マネジメント]	2-4
Repairs and alterations [修理と改造]	9-12	Sinus problems [副鼻腔疾患]	17-5
Respect for onboard systems [搭載システムの尊重] ..	2-29	Situational awareness [状況認識]	2-24
Restricted areas [飛行制限空域]	15-3	Obstacles to maintaining situational awareness [状況認識を維持 するための障害].....	2-24
Retractable landing gear [引き込み脚]	7-34	Size-distance illusion [サイズ距離錯視]	17-27
Reversible perspective illusion [逆遠近錯視] ..	17-26	Skidding turn [外滑り旋回]	5-23
Risk [リスク].....	2-4, 2-6	Slipping turn [内滑り旋回].....	5-23
Mitigating risk [リスクを緩和する].....	2-8	Slip/skid indicator [内滑り/外滑り指示器]	8-13
Risk management [リスク管理]	2-3	Slotted flap [隙間フラップ]	6-8
Rocket [ロケット].....	1-15	Spatial disorientation [空間識失調]	17-6
Roll [横転].....	5-13		
Rolling [横揺れ].....	5-17		
Rotorcraft [回転翼航空機]	1-15		
Gyroplane [ジャイロプレーン]	1-15		
Helicopter [ヘリコプター].....	1-15		

Special airworthiness certificate [耐空性証明]	9-8	Synopsis [概要]	13-5
Special flight permits [特別飛行許可証]	9-12	Synthetic vision system [合成視覚システム]	17-28
Special use airspace [特別使用空域]	15-3	T	
Spins [きりもみ]	5-36	Tachometer [タコメーター]	8-13
Spiral instability [螺旋不安定性]	5-20	Tailwheel landing gear airplanes [尾輪着陸装置飛行機]	7-33
Spoilers [スポイラー]	6-10	Takeoff charts [離陸図]	11-20
Squall line [スコール・ライン]	12-23	Takeoff performance [離陸性能]	11-14
SRM and the 5P check [SRM と 5P チェック]	2-13	Taxiway centerline lead-on lights [誘導路中心線誘導灯]	14-18
Passengers [乗客]	2-14	Taxiways, marking and lighting of permanently	
Pilot [パイロット]	2-14	Closed runways [滑走路、恒久的に閉鎖された滑走路のマー	
Plan [計画]	2-14	キングと照明]	14-14
Plane [航空機]	2-14	Temperature [気温]	12-13, 13-13
Programming [プログラミング]	2-15	Temporary flight restrictions (TFR) [一時的な飛行制限]	15-6
Stabilator [水平尾翼]	6-7	Terminal doppler weather radar (TDWR) [ターミナルドップラー	
Stability [安定性]	5-14, 5-42, 10-2, 10-3	気象レーダー]	13-4
Dynamic stability [動的安定性]	5-14	Terminal radar service area (TRSA) [空港レーダーサービス区	
Lateral stability [横安定]	5-17	域]	14-26, 15-7
Dihedral [上反角]	5-18	Tetrahedron [四面体]	14-20
Sweepback and wing location [後退角と翼の位置]		Thermosphere [熱圏]	12-3
.....	5-18	Thielert, Frank [フランク・ティラート]	7-4
Keel effect and weight distribution [キール効果と重		Three-color visual approach path [三色視認進入路]	14-17
量分布]	5-18	Thrust [推力]	5-1, 5-2
Longitudinal stability [縦安定]	5-15	Thrust horsepower (THP) [推力馬力]	7-6, 7-24
Static stability [静安定性]	5-14	Thunderstorms [雷雨]	12-22
Vertical stability [垂直安定性]	5-19	Time and distance check from a station [観測地点からの時間と距	
Stalls [失速]	5-25, 5-36	離の確認]	16-26
Stall speed performance charts [失速速度性能図] ..	11-27	Time Zones [タイムゾーン]	16-3
Standard airworthiness certificate [標準耐空性証明] .	9-7	Central standard time [中央標準時]	16-5
Standard datum plane (SDP) [標準基準面]	11-3	Eastern standard time [東部標準時]	16-5
Standard empty weight [標準空重量]	10-5	Mountain standard time [山岳部標準時]	16-5
Standard temperature lapse rate [標準温度減率]	11-2	Pacific standard time [太平洋標準時]	16-5
Standard weights [標準重量]	10-5	Tornadoes [竜巻]	12-23
Starting system [起動装置]	7-18	Torque [トルク]	5-30
Static pressure chamber and lines [静圧室とライン] ..	8-2	Torquemeter [トルク計]	7-22
Station [観測地点]	10-5	Total distance [総距離]	16-17
Straight and Level [直線水平]	11-5, 14-28	Touchdown zone lights (TDZL) [接地帯灯]	14-18
Stratosphere [成層圏]	12-3	Track [航跡]	16-10
Stress [ストレス]	17-12	Transcontinental air mail route [大陸横断航空便ルート]	1-4
Stress management [ストレス管理]	2-21	Transcribed weather broadcast (TWEB)	
Student pilot [訓練生]	1-20	(Alaska only) [指定されたコースの天候情報 (アラスカの	
Student pilot solo requirements [訓練生のソロ要件]	1-21	み)]	13-4
Subcomponents of an airplane [飛行機の従属部品] 3-8		Transponder [トランスポンダー]	14-25
Airframe [機体]	3-8	Trend vectors [傾向ベクトル]	8-14
Brakes [ブレーキ]	3-8	Tricycle landing gear airplanes [三輪式着陸装置航空機]	7-33
Electrical system [電気系統]	3-8	Trim systems [トリム・システム]	6-10
Flight controls [操縦装置]	3-8	Trim tabs [トリム・タブ]	3-6, 6-10
Sublimation [昇華]	12-15	Tropopause [対流圏界面]	12-3
Sumps [油だめ]	7-27	Troposphere [対流圏]	12-2
Superchargers [過給機]	7-12	True airspeed (TAS) [真対気速度]	8-9, 11-18
Surface aviation weather observations (METARs) [定時航		True course [True course]	16-16
空実況気象通報式]	13-2	True heading [機首真方位]	16-16
Sweepback [後退角]	5-48		

Truss structure [トラス構造]	VFR waypoints [VFR ウェイポイント]	16-33
T-tail configuration [T 型尾翼形状]	Vg diagram [VG 図]	5-37
6	Viscosity [粘性]	4-2
Turbine engines [タービンエンジン]	Visibility [視程]	12-17
7-20	Vision in flight [飛行中のビジョン]	17-19
Turbofan [ターボファン]	Visual approach slope indicator (VASI) [目視による進入降下路表 示装置]	14-16
7-21	visual flight rules (VFR) [有視界飛行方式]	16-1
Turbojet [ターボジェット]	Visual glide slope indicators [進入角指示灯]	14-16
7-20	Visual illusions [錯視]	17-8
Turboprop [ターボプロップ]	Autokinesis [随意運動]	17-8
7-21	False horizon [偽水平]	17-8
Turboshaft [ターボシャフト]	V_{LE} [着陸装置下げ速度]	11-18
7-21	V_{LO} [着陸装置操作速度]	11-18
Turbosuperchargers [ターボ過給機]	V_{NE} [超過禁止速度]	11-19
7-12, 7-13	V_{NO} [構造上の最大巡航速度]	11-19
Turbulence [乱気流]	VOR/DME RNAV [広域航法経路]	16-28
12-24	Vortex avoidance procedures [渦回避手順]	14-28
Turn indicators [旋回計]	Vortex behavior [渦の挙動]	14-27
8-13, 8-16	Vortex generation [渦生成]	14-26
Turn-and-slip indicator [旋回傾斜計]	Vortex strength [渦強度]	14-27
8-16	V_{SO} [着陸構成での失速速度]	11-18
Turn rate indicator [回転率計]	V_{SI} [指定された構成で取得された失速速度]	11-18
8-13	V-Tail [V 尾翼]	6-8
U	V_X [最良上昇角に対応する速度]	11-18
Ultralight vehicle [超軽量動力機]	V_Y [最良上昇率に対応する速度]	11-18
1-14	W	
Uncontrolled airspace [非管制空域]	Wake turbulence [後方乱気流]	5-9, 14-26
15-3	Warning areas [警告区域]	15-4
Class G airspace [クラス G 空域]	Water refraction [水の屈折]	17-10
15-3	WCA [偏流修正角]	16-10
Universal coordinated time (UTC) [協定世界時]	Weather [気象]	12-1
16-5	Weather avoidance assistance [気象回避支援]	13-18
Unmanned free balloons [無人自由気球]	Weather briefings [飛行前の気象情報等入手]	13-5
15-11	Abbreviated briefing [簡略ブリーフィング]	13-5
Upper air observations [高層気象観測]	Outlook briefing [6 時間以上先に離陸する際の気象情報]	13-5
13-2	Standard briefing [標準ブリーフィング]	13-5
Useful load [利用荷重]	Weather charts [天気図]	13-13
10-5	Significant weather prognostic charts [航空用の天気予報図]	13-15
V	Surface analysis chart [地上解析図]	13-13
V_A [設計運動速度]	Dew point [露点]	13-13
11-18	Present weather [現在天気]	13-13
Variable inlet guide vane (VIGV) [可変入り口静翼]	Pressure change/tendency [気圧変化/傾向]	13-13
7-24	Sea level pressure [海面気圧]	13-13
Variation [偏差]	Sky cover [雲量]	13-13
16-6, 16-16		
Vector analysis [ベクトル解析]		
16-13		
Vehicle (driver) deviations [動力機 (ドライバー) 偏差]		
14-31		
Vertical card magnetic compass [縦型カード磁気コンパ ス]		
8-27		
Vertical speed indicator (VSI) [垂直速度計]		
8-7, 8-13		
Very high frequency (VHF) [超短波]		
16-22		
Very high frequency (VHF) omni-directional radio range (VOR) [超短波全方向式無線標識]		
3-13, 16-22		
Very light jets (VLJs) [超軽量ジェット機]		
7-20		
Vestibular illusions [前庭錯視]		
Coriolis illusion [コリオリ錯視]		
17-7		
Elevator illusion [昇降舵錯視]		
17-8		
Graveyard spiral [墓地 (行き) 旋回]		
17-7		
Somatogravic illusion [体性重力錯視]		
17-7		
The leans [傾き]		
17-7		
vestibular system [前庭システム]		
17-6		
V_{FE} [フラップ下げ速度]		
11-18		
VFR terminal area charts [VFR ターミナルエリアチャート]		
16-2		

Temperature [気温]	13-13	Winds and temperatures aloft [上空の風と温度]	13-5
Wind [風]	13-13	Wind shear [風の断層]	
Weather depiction chart [METAR 情報を元に作られた 天気図]	13-15	Low-level wind shear [低層ウィンドシア]	12-11
Weather check [気象チェック]	16-17	Wind shifts [風の急変]	12-21
Weather products age and expiration [気象プロダクトの 寿命と有効期限]	13-18	Wind sock [吹き流し]	14-20
Weight [重量]	5-1, 5-2, 5-8, 5-40, 10-2	Wind triangle [風向三角形]	16-13
Weight and balance [重量と重心点]	5-40, 10-4	Winglets [ウィングレット]	4-9
Weight and balance computations [重量と重心点の計 算]	10-5	Wings [翼]	3-3
Weight and balance restrictions [重量と重心点の制限]	10-6	Wingtip vortices [翼端渦流]	5-8
Weight and loading distribution [重量と荷重分布]	9-3	World aeronautical charts [国際民間航空図]	16-2
Weight control [重量制御]	10-1	WSR-88D NEXRAD radar [1988 年のドップラー式気象監視レー ダー]	13-3
Weight-shift-control [重量移動制御]	1-15		
Wind correction angle (WCA) [偏流修正角]	16-16	Y	
Wind direction indicators [風向指示器]	14-20	Yaw [横ねじれ]	5-13
Wind patterns [風のパターン]	12-7	Yawing [偏揺れ]	5-19
Winds and temperature aloft forecast (FB) [上空の風と 温度の予報]	13-13	Yaw String [ヨーstroリング]	8-18
		Z	
		Zero fuel weight [最大零燃料重量]	10-10